

HID IME E FE ALG H CA E I G EM LA E

CLI ICAL I DICA I
Previously established gestational age: [] Established EDD []
BPD: [] cm ([] percentile) HC: [] cm ([] percentile) AC: [] cm ([] percentile) FL: [] cm ([] percentile)
F ta art rat : [] bpm (normal range 110-170)
r s ntat.on, if breech, describe hip position [extension/flexion] describe knee position [extension/flexion]
F ta , ov , nts : [normal activity / decreased activity] (Comment if fetal breathing and limb movements seen)*
Est. at taw. t: [] grams on the [] percentile, specify chart used and if customised Previous EFW measurement and date if applicable: [] N.B. growth chart demonstrating trajectory of previous EFW should be provided if possible in the report
b. ca Art ry: Pulsatility Index [] ([] percentile) +/- RI. As a minimum, the PI must be reported.
b. ca art ry n : diastolic flow present / absent / reversed
M _x C r bra Art ry: Pulsatility Index [] ([] percentile), Perform if -specifically requested -signs of suboptimal fetal growth (EFW at or below the 10 th centile) or if the -UA PI is >95 th centile
AFI [] (5-25 normal) Deepest pocket []cm
ac nta s.t : [][<>] mm from the internal cervical os.
C rv.x: []mm closed length, only if requested
Limited anato y surv y within the limits of late gestation, fetal lie, and maternal conditions.
C CL I Fetal EFW is on the [] percentile. Reassuring well-being with fetal biometry in normal range.

If applicable: previous scan on date (DD/MM/YYYY) demonstrated the EFW to be on the [$\,$] percentile (see appended growth chart).

If <10th centile, small for gestational age and if >90th centile, large for gestational age

EX LA A Y E

CLI ICAL I DICA I

Previously established gestational age: [] Established EDD []

FI DI G